




*Semiautomatic,
multispindle, single-
head boring machine*



BORING SYSTEM 21 PRESTIGE

For horizontal and vertical drilling into wood-based panels and solid wood, for the furniture manufacturing




FAST HORIZONTAL DRILLING

Thanks to the 640 mm interaxis and the large working table, You can process 2 panels having 316 mm width at the same time



FAST VERTICAL DRILLING

You can process 3000 mm - long sides in 5 working cycles



PERFECT PANEL JOINTS

The ref. side fences, adjustable along a metric bar, with magnify glass and nonius, always represent a precise reference point for the operator and guarantee the perfect parallelism of the drilling operations



Small footprint: 1 mq



Two times faster than a manual boring machine






BORING SYSTEM 21 PRESTIGE SERVICE

Worldwide after-sale service.

Real-time, on-line remote assistance through a dedicated augmented reality APP.
Spare-parts availability for up to 10 years, shipment within 24 hrs

DATA SHEET

| | |
|----------------------------------|----------------------------|
| Spindles | N 21 |
| Left and right spindles | N. 10 left - N. 11 right |
| Spindle interaxis | 32 mm |
| Total interaxis: | 640 mm |
| Max. tool diameter | 40 mm |
| Max. boring depth | 65 mm |
| Max. boring height | 55 mm |
| Height of working table | 860 mm |
| Max. panel thickness | 60 mm (130 mm optional) |
| Max. panel dimensions | 900 x 3000 |
| N° 1 motor | HP 2 / KW 1,5 - RPM 2800 |
| Standard pneumatic pressure | BAR 6/ 8 |
| Air consumption | 10 NL / cycle |
| Dust collection hood diameter | 80 mm |
| Overall dimensions - net weight: | 1015 x 990 x 1270 - kg 260 |
| Package dimensions (machine) | 1115 x 950 x 1050 |
| Package dimensions (long fences) | 1500 x 120 x 60 |
| Gross weight | kg 290 |



QUICK SET-UP

Adjusting the boring depth is extremely easy with the "Spiral System" device and the 10 mm automatic reset for vertical drilling

VERSATILITY

It drills at any angle between 0° and 90°

SAFE PANEL HOLD-DOWN

The quick-positioning, safety, hold-down clamping units ensure the greatest stability and steadiness of the working piece during the working cycle and the highest accuracy of the drilling process

**WOOD
MASTER**

www.woodmaster.lt

Medienos apdirbimo įrenginiai

K. Petrausko g. 26, LT-44156 Kaunas
Tel. +370 349 79027, +370 698 30446

